



MEDICAL DEVICES
DIETARY SUPPLEMENTS



Diagnosis is a dynamically developing Polish company that has been operating in the OTC market since 2002. To meet our customers' needs, we constantly introduce innovative products to the market.

Diagnosis is the manufacturer of a wide range of homecare products as well as dietary supplements:

- Telemedicine Devices
- Blood Pressure Monitors
- Digital and Infrared Thermometers
- Nebulizers
- Dental Devices
- Blood Glucose Monitors
- Rapid Diagnostic Tests (e.g. pregnancy tests, ovulation tests, drug abuse tests)

We can supply our Medical Devices, Rapid Diagnostic Tests under OEM or ODM agreement and Dietary Supplements.

All the above mentioned products are CE marked and manufactured under EN ISO 13485:2012 98/79/EC and 92/43/EEC regulations.

DIAGNOSIS S.A.
ul. Gen. W. Andersa 38A
15-113 Białystok
Poland

e-mail: export@diagnosis.pl



www.diagnosis.pl

MEDICAL DEVICES

 **DIAGNOSTIC**®

DR  **CHECK**

ABRA


White Way

DM-200 IHB Plus

- Memory for 2 users with 120 measurements with date and time
- Readable Display
- Irregular HeartBeat (IHB) Indicator
- WHO Blood Pressure Classification Indicator
- Easy to use Cuff size M/L (22-42 cm)



Model	Diagnostic DM-200 IHB Plus
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 30 - 280 mmHg Pulse: 40 - 199 pulses / min
Accuracy	Pressure: ± 3 mmHg Pulse: $\pm 5\%$
Memory Function	2 x 120 Sets of Measurement
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x 1.5 V Alkaline Batteries AAA or micro USB DC 5.0 V / 1.0 A (optionally)
Operating Conditions	Temperature: 5 ~ 40°C (41 ~ 104°F) Humidity: 15 ~ 85% R.H. Atmospheric Pressure: 860 - 1060 hPa
Transport and Storage Conditions	Temperature: -10 ~ 55°C (14 ~ 131°F) Humidity: 10 ~ 95% R.H. Atmospheric Pressure: 860 - 1060 hPa
Main Unit Weight	Approx. 372 g \pm 5 g (including batteries and cuff)
Cuff	Size M/L 22-42 cm
Contents	Blood Pressure Monitor, Cuff, Batteries, Carrying Case, Instruction for use

DM-300 IHB



- Memory for 4 users with 30 measurements with date and time
- Indicates the average result based on the last 3 measurements
- Irregular HeartBeat (IHB) Indicator
- WHO Blood pressure classification indicator
- Easy to use Cuff size M (22-36 cm), optional size L (32-44 cm)
- Can be used with an Adaptor

Model	Diagnostic DM-300 IHB
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 0-300 mmHg; Pulse: 30-180 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 4 x 30 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x AA 1,5V Alkaline Batteries; or D.C. 6V, 600 mA; 3,6 W (optionally)
Operating Conditions	Temperature: 10 - 40°C Humidity: 15-93% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -25 - 70°C Humidity: $\leq 93\%$ R.H. (Noncondensing)
Main Unit Weight	Approx. 395 g (Batteries not included)
Cuff	Soft Arm Cuff (22-36 cm)
Contents	Blood Pressure Monitor, Cuff, Batteries, Carrying Case, Instruction for use

DM-400 IHB

- Memory for 2 users with 60 measurements with date and time
- Indicates the average result based on the last 3 measurements
- Irregular HeartBeat (IHB) Indicator
- Blood pressure measurement while the cuff is being inflated – G3 MWI technology for a shorter measurement
- WHO Blood pressure classification indicator
- Easy to use Cuff size M (22-36 cm), optional size L (32-44 cm)
- Can be used with an Adaptor



Model	Diagnostic DM-400 IHB
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 0-280 mmHg; Pulse: 40-180 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2 x 60 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x AA 1,5 V Alkaline Batteries or DC 6V; 0,5 A (optionally)
Operating Conditions	Temperature: 5 - 40°C Humidity: 15-93% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -25 - 70°C Humidity: 10 - 95% R.H. (Noncondensing)
Main Unit Weight	Approx. 294 g (Batteries not included)
Cuff	Soft Arm Cuff (22-36 cm)
Contents	Blood Pressure Monitor, Cuff, Batteries, Carrying Case, Instruction for use

DM-500 IHB



- Memory for 2 users with 120 measurements with date and time
- Indicates the average result based on the last 3 measurements
- Irregular HeartBeat (IHB) Indicator
- WHO Blood pressure classification indicator
- Easy to use universal Cuff size M/L (22-42 cm)
- Can be used with an Adaptor
- Handy enclosure with Cuff housing

Model	Diagnostic DM-500 IHB
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 30-280 mmHg; Pulse: 40-200 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2 x 120 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x AA 1,5 V Alkaline Batteries or DC 6 V, 600 mA (optionally)
Operating Conditions	Temperature: 5-40°C Humidity: 15-85% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -10-55°C Humidity: 10-95% R.H. (Noncondensing)
Main Unit Weight	Approx. 540 g (Batteries not included)
Cuff	Soft Arm Cuff (22-42 cm)
Contents	Blood Pressure Monitor, Cuff, Batteries, Carrying Case, Instruction for use

DM-600 IHB

- Large Readable Display
- Memory for 2x120 measurements with date and time
- Indicates the average result based on the last 3 measurements
- Irregular HeartBeat (IHB) Indicator
- WHO Blood pressure classification indicator
- Easy to use universal Cuff size M/L (22-42 cm)
- Can be used with an Adaptor



Model	DM-600 IHB
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 30-280 mmHg; Pulse: 40-200 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2 x 120 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x AA 1,5 V Alkaline Batteries or DC 6 V, 600 mA (optionally)
Operating Conditions	Temperature: 5-40°C Humidity: 15-85% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -10-55°C Humidity: 10-95% R.H. (Noncondensing)
Main Unit Weight	Approx. 540g (Batteries not included)
Cuff	Soft Arm Cuff (22-42 cm)
Contents	Blood Pressure Monitor, Cuff, Batteries, Carrying Case, Instruction for use

S-500



- Memory 2x60 measurements with date and time
- Indicates the average result based on the last 3 measurements
- Irregular HeartBeat (IHB) Indicator
- WHO Blood pressure classification indicator
- Easy to use Cuff size M (22-36 cm), optional size L (32-44 cm)
- Can be used with an Adaptor

Model	S-500
Display	LCD Digital Display
Type of Measurement	Oscillometric Method
Measurement Range	Pressure: 0-280 mmHg; Pulse: 40-180 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2x60 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	4 x AA 1,5 V Alkaline Batteries or DC 6 V, 0,5 A (optionally)
Operating Conditions	Temperature: 5 - 40°C Humidity: 15-93% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -25 - 70°C Humidity: 10-95% R.H. (Noncondensing)
Main Unit Weight	Approx. 280g (Batteries not included)
Cuff	Soft Arm Cuff (22-36 cm)
Contents	Blood Pressure Monitor, Cuff, Batteries, Instruction for use

PRO Afib

- Atrial Fibrillation Indicator
- Irregular HeartBeat (IHB) Indicator
- Cuff Fit Error Indicator
- Movement Error Indicator
- Memory for 2 users with 120 measurements with date and time
- Indicates the average result based on the last 3 measurements
- WHO Blood pressure classification indicator
- DuoAfib technology - the Blood Pressure Monitor in Afib mode performs automatically two pressure measurements (with one click) to detect Atrial Fibrillation
- Easy to use universal Cuff size M/L (22-42 cm)
- Large Readable Display
- Can be used with an Adaptor

The **Afib technology** is designed for detection of Atrial Fibrillation during a simple blood pressure measurement. In the event of Atrial Fibrillation, the Afib symbol will appear on the monitor display. The PRO Afib blood pressure monitor is recommended for monitoring blood pressure for patients with arterial hypertension and Atrial Fibrillation. The Afib technology is a reliable tool which aids detection of Atrial Fibrillation to prevent cerebral stroke.



Model	PRO Afib
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 30-280 mmHg; Pulse: 40-200 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2 x 120 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Afib	Atrial Fibrillation Indicator
Power Source	4 x AA 1.5 V Alkaline Batteries or DC 6 V, 600 mA
Operating Conditions	Temperature: 5-40°C Humidity: 15-85% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -10-55°C Humidity: 10-95% R.H. (Noncondensing)
Main Unit Weight	Approx. 540 g (Batteries not included)
Cuff	Soft Arm Cuff (22-42 cm)
Contents	Blood Pressure Monitor, Cuff, Power Supply, Batteries, Carrying Case, Instruction for use

DR-605 IHB



- Simple One-touch Wrist Measurement
- Irregular HeartBeat (IHB) Indicator
- WHO Blood pressure classification indicator
- Memory for 2 users with 120 measurements with date and time
- Indicates the average result based on the last 3 measurements

Model	DR-605 IHB
Display	LCD Digital Display
Measuring Method	Oscillometric Method
Measurement Range	Pressure: 30-280 mmHg; Pulse: 40-200 Pulses/min
Accuracy	Pressure: ± 3 mmHg; Pulse: $\pm 5\%$
Memory Function	Memory 2 x 120 Sets of Measurement Values
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular HeartBeat Indicator
Power Source	2 x AAA 1,5 V Alkaline Batteries
Operating Conditions	Temperature: 5 - 40°C Humidity: 15-85% R.H. (Noncondensing)
Transport and Storage Conditions	Temperature: -10 - 55°C Humidity: 10-95% R.H. (Noncondensing)
Main Unit Weight	Approx. 110 g (Batteries not included)
Cuff	Wrist Cuff (13,5-21,5 cm)
Contents	Blood Pressure Monitor, Carrying Case, Batteries, Instruction for use

Adult Cuff M

- Arm circumference: 22-36 cm
- Compatible models:
Diagnostic DM-200 IHB Plus
Diagnostic DM-300 IHB,
Diagnostic DM-400 IHB,
Diagnostic S-500



Large Cuff L

- Arm circumference: 32-44 cm
- Compatible models:
Diagnostic DM-200 IHB Plus
Diagnostic DM-300 IHB,
Diagnostic DM-400 IHB,
Diagnostic S-500



Wide Range Cuff M/L

- Arm circumference: 22-42 cm
- Compatible models:
Diagnostic DM-500 IHB,
Diagnostic DM-600 IHB,
Diagnostic PRO Afib
Istel Cardic 100-BT



THERMOMETERS

Underarm, Oral and Rectal Thermometers

- Signal sounds when the measurement is complete
- Fever Alarm
- Last Measurement Memory
- Waterproof



T-01

T-02 Flexible

T-15

Models:	T-01, T-02 flexible, T-15
Power Source	Battery 1,5 V DC (LR41 or SR41, UCC 392)
Dimensions	Approx. 12,4 x 1,8 x 0,9cm
Operating Conditions	Temp. 5°C- 40°C, Humidity 15% -95%
Transport and Storage Conditions	Temp. -20°C- 55°C, Humidity 15%-95%
Memory	Last Measurement
Contents	Thermometer, Battery, Plastic Case, Instruction for use
Accuracy	±0,1°C, 35,5 - 42,0°C ±0,2°C - 35,5°C and over 42,0°C at ambient temp. of 18 - 28°C

NC300



- Non-contact Forehead Temperature Measurement
- Ambient Temperature Measurement
- Easy to use
- One- second Measurement
- Fever Alarm 37,8°C
- Backlight Display
- For use at home and doctor's office
- Clinically Tested

Model	Diagnostic NC300
Time Measurement	1 sec.
Distance Measurement	5-10 cm
Memory	12 Measurements
Mode of measurement	Forehead and Ambient
Power Source	2 Batteries AAA
Automatic power-off	After 30 sec.
Dimensions	138 x 35 x 38 mm
Operating Conditions	Temp. 10°C - 40°C, Humidity: ≤ 80%
Transport and Storage Conditions	Temp. -25°C - 55°C, Humidity: ≤ 95%
Contents	Thermometer, Batteries, Plastic Case, Instruction for use
Accuracy	± 0,2°C/0,5°C 34,0°C do 34,9°C ± 0,2°C/0,4°C 35°C do 42,0°C ± 0,2°C/0,5°C 42,1°C do 43,0°C

Non-Contact Infrared Thermometer

Due to the application of the IR technology, the thermometer determines the value of temperature based on heat radiation. IR measurements are taken using the built-in sensor and converted into a digital signal to be displayed on the thermometer screen. The non-contact IR temperature measurement is extremely accurate, hygienic and less stressful for children. It is also much more convenient if the measurement must be taken while the child is asleep.

NC PRO

- Non-Contact Sleep - Friendly Thermometer
- Ambient Temperature Measurement
- Easy to use
- One - second Measurement
- Fever Alarm 37,5°C
- Backlight Display



Time Measurement	1 sec.
Memory	12 Measurements
Mode of Measurement	Forehead and Ambient
Power source	2 x AAA Batteries
Dimensions	141 x 36 x 37 mm
Operating Conditions	15 ~ 40 °C (59 ~ 104 °F) Humidity: 15 ~ 95% Pressure: 800 - 1060 hPa
Storage and Transportation Conditions	-20 ~ 50 °C (-4 ~ 122 °F) Humidity: 15 ~ 95% Pressure: 800 - 1060 hPa
Classification IP	IP22
Measurement Distance	about 8 cm
Automatic Power-off	after 30 sec.
Contents	Infrared Thermometer, Batteries, Plastic Case, Instruction for use

FC500



- Clinically Tested
- Memory of 30 Measurements
- Non-Contact Sleep - Friendly Thermometer
- Measuring Human body, Surface and Ambient Temperature
- Easy to use
- One - second Measurement
- Fever Alarm 37,5°C
- Backlight Display

Time Measurement	1 sec.
Measurement Result	After 3 seconds
Memory	30 measurements
Mode of Measurement	Forehead, surface, ambient
Power Source	2 x AAA Batteries
Dimensions	150 x 40 x 39 mm
Operating Conditions	Temperature: 16 - 40°C Humidity: 25 - 95% Pressure: 800 - 1060 hPa
Storage and Transportation Conditions	Temperature: -20 - 50°C Humidity: 25 - 95% Pressure: 800 - 1060 hPa
Classification IP	IP22
Measurement Distance	≤ 5 cm
Automatic Power-off	After 60 seconds
Contents	Infrared Thermometer, Batteries, Plastic Case, Instruction for use

PRO MESH

Diagnostic PRO MESH is a new technology for better and more efficient portable nebulization. This recent technical innovation for aerosol delivery is ideal for combating asthma, Chronic Obstructive Pulmonary Disease (COPD) such as emphysema and chronic bronchitis, or other respiratory diseases that are characterized by obstruction to air flow. Virtually silent and small enough allows you to take a treatment anywhere.

- Innovative Mesh Technology
- Virtually Silent
- Pocket Size
- Reduction of Medication Wastage
- Full Set of Accessories



Model	Diagnostic PRO MESH
Method of Operation	Ultrasonic
Dimensions	Approx. 72 mm (L) × 40 mm (W) × 113 mm (H)
Weight	Approx. 98 g (Exclude batteries)
Power Supply	3 V DC (AA 1,5 V alkaline battery x2); AC adapter Input: 100-240 V AC, 50/60 Hz; 0,2 A Output: 5 V DC, 1 A
Power Consumption	Approx. 1.2 W
Vibrating Frequency	Approx. 113 kHz
Nebulization Rate	Approx. >0.25 ml/min minimum
Particle Size	MMAD 3,8 µm
Recommended fill volume	8 ml maximum 2 ml minimum
Allows operation in all directions	upside down or tilted for up to 15 seconds
Detection if no medication or medication depleted	LED orange indicator (power) turn-on 8 sec, then power off
Operating and Transport Conditions	10~40°C (50~104°F), 15~93% R.H.
Storage Conditions	-20~70°C (-4~158°F), ≤93% R.H.
Contents	Adult and Pediatric Mask, Nebulizer, Mouthpiece, Carrying Case, Adapter, Batteries, Instruction for use

NANO

Compact nebulizer with optimal nebulization parameters to be used by the whole family.

- Easy to use
- Average particle size MMAD 2.44 micron
- Guarantees quick inhalation process (6-7 min. for 2.5 ml of medicine)
- Ensures optimal use of the Medicine
- Very quiet nebulizer operation
- Accessories for children and adults included



Model	Diagnostic NANO
Average Particle Size	MMAD 2,44 µm
Operating Time	30 min. ON / 30 min. OFF
Amount Remaining	0,15 ml
Medicine Cup	8 ml
Noise level	<55 dBA
Weight	Approx. 1,51 kg
Operating and Transport Conditions	Temp.: 10°C÷40°C, Humidity: 10÷95%
Storage Conditions	Temp.: -20°C÷70°C, Humidity: 10÷95%
Contents	Adult and Pediatric Mask, Tube, Nebulizer, Mouthpiece, 5 x Filters, Instruction for use

WW-Sonic

Sonic Toothbrush

The sonic technology of **WW-Sonic toothbrush** provides optimum cleaning of the tooth surfaces and interdental areas inaccessible to traditional toothbrushes. It is equipped with a sound wave generator that generates 31,000 to 48,000 sonic vibrations per minute. It enables the bristles effectively remove plaque, tartar, stains, but also gum massage returning your teeth white and healthy.



Model	WW-Sonic
Sonic strokes	31000-48000 per minute
Power Supply	Li-ion 800 mAh inductive charging provides 180 minutes working time
Voltage	worldwide voltage 110-240 V
Energy consumption	Working power 1,4 W, standby power 0,5 W
Noise Level	≤65 dB
Dimentions	50 x 75 x 247 mm
IP Code	IPX7
Auto-Timer	2 min.
Interval Time	30 sec.
Operating and Transport Conditions	18 - 25°C; 10-95% RH
Storage Conditions	-20 - 60°C; 10-95% RH
Contents	Sonic Toothbrush, 2 Brush Heads, Inductive charger, Instruction for use

- Extra Brush Heads are available for sale



Model	WW-Smart
Sonic Strokes	30000-48000 per minute
Power Supply	Li-ion 800 mAh inductive charging provides up to 40 days of work based on the lowest mode
Voltage	AC 100-240 V; 50-60 Hz
Energy Consumption	Charging rated power 1,4 W
Noise Level	≤65 dB
Dimensions	30,5 x 28,5 x 248 mm
IP Code	IPX7
Auto-Timer	2 min.
Interval Time	30 sec.
Operating Conditions	18 - 25°C; 23-95% R.H.
Transport and Storage Conditions	-18 - 65°C; 23-95% R.H.
Contents	Toothbrush, 2 Brush Heads, 2 Plastic Tip Covers, Charger, Instruction for use

- Extra Brush Heads are available for sale

WW-Smart Smart Care Sonic Toothbrush

Turn on the SMART feature and enjoy a smart solution. The toothbrush, thanks to special sensors, will only start operating when the tip is inserted into the mouth. No more splashing water or paste around.

- Three Brushing Modes, up to 48,000 vibrations per minute
- Generates a Pulse every 30 seconds to remind you to change the brushing side of your mouth
- Auto-off after 4 cycles (4 cycles of 30 seconds)
- 800 mAh Battery capacity for up to 45 days of Operation
- IPX7 rated Waterproof
- 2 Brush Heads included

WW-Pulsar

Sonic Toothbrush

- 23000 strokes per minute
- Sonic cleaning and high efficiency
- Replaceable brush head and battery
- Slim and non-slip design similar with manual brush for easily brushing
- High quality bristle promotes naturally clean teeth by gently polishing off surface stains
- Porous surface on the other side of the brush head for tongue cleaning
- Two colors available



Model	WW-Pulsar
Strokes	23 000 per minute
Power Supply	1xAAA battery
Battery life	up to 90 days
Dimentions	216,5 x 19,8 x 22,2 mm
IP Code	IPX7
Auto-Timer	2 min.
Interval time	30 sec.
Operating and Transport Conditions	18 - 25°C; 10-95% R.H.
Storage Conditions	-20 - 60°C; 10-95% R.H.
Contents	Sonic Toothbrush, 2 Brush Heads, Battery, Instruction for use

- Extra Brush Heads are available for sale



WW-Jet 3000

Dental Oral Irrigator

The **WW-Jet 3000 Irrigator** effectively and quickly removes food debris and bacteria from hard to reach areas in the interdental spaces and under gum line – where a traditional toothbrush or dental floss cannot reach. Our irrigator is a non-invasive way to remove surface stains and plaque, simultaneously offering gum care. It is an irreplaceable device for complete dental care. Highly recommended for people with tight spaces between teeth, and those having braces, bridges, crowns and implants.

Operating modes:

- Normal
- Soft
- Pulse

**Effectively Cleans Interdental Spaces
Improves Condition of Gums Perfect for
Braces, Dental Bridges, Crowns, Implants**

Model	WW-Jet 3000
Reservoir Capacity	150 ml
Total emptying of reservoir	in 40~60 sec. Normal mode
Dimensions	56 x 74 x 273 mm
Weight	450 g
Water Pressure	40~90 PSI
IP Code	Irrigator IPX7, Adapter - IPX4
Power (irrigator)	Li-ion 1500 mAh battery provided, charges full in 8 hours
Input Voltage (Adaptor)	110-240 V, AC 50/60 Hz
Operating and Transport Conditions	18 - 25°C; 10-95% RH
Storage Conditions	-20 - 60°C; 10-95% RH
Contents	Irrigator, 2 Nozzles, Adaptor, Instruction for use

- Extra irrigator nozzles are available for sale

Glucose Meter

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health. Test results are send via special USD cable
- Autocoding - all necessary information is read directly from test strips.
- User friendly
- Test strips have the optimal size and contrast markings. Performance measurement is only 3 simple steps.
- Before and After Meal Tags - easier way to analyze data



Temperature	10°C - 40°C (50°F - 104°F)
Humidity	10-90% RH
Hematocrit	35 - 55%
Test Sample	Capillary Whole Blood from Fingertip, Palm and Forearm
Sample Volume	0.5 µl
Measuring Unit	mg/dL or mmol/L
Measuring Range	20-600 mg/dL (1.1-33.3 mmol/L)
Test Time	5 sec
Memory Capacity	300 most recent results
Average	7/14/30 days average results
Power supply	3-Volt lithium battery (CR-2032)
Battery Life	Approximately 1000 tests
Accuracy	<100 mg/dL +/- 15 mg/dL ≥ 100 mg/dL +/- 15 %
Contents	Glucose Meter, Lancing Device (1 pc), Steville Lancets (10 pcs), Test Strips (10 pcs) optionally, Battery, Carrying Case



ABRA SMART BT Glucose Meter

ABRA Smart BT glucose meter is the latest solution for testing blood glucose levels. The glucose meter accuracy is compliant with the latest international standards (EN ISO 15197: 2015) and provides users with access to new unique features.

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel Health Application, which allows to store all Patients test results in one place
- ABRA Smart BT automatically lets the user know if the current glucose result is within, below or above personal range limits with the help of Color Range Indicator and the Color od test strip port
- Test strip ejector guarantees hygienic measurement
- Reminds to perform a test after inserting a test strip
- Autocoding - all necessary information is read directly from the test strips
- Possibility of setting individual average results

Temperature	10°C - 40°C (50°F - 104°F)
Wireless Communication	Bluetooth Low Energy 4.1
Humidity	10-90% RH
Hematocrit	30 - 55%
Test Sample	Capillary Whole Blood from Fingertip, Palm and Forearm
Sample Volume	0.5 µl
Measuring Unit	mg/dL or mmol/L
Measuring Range	20-600 mg/dL (1.1-33.3 mmol/L)
Test Time	5 sec
Memory Capacity	1000 most recent results
Average	7/14/30/60/90 days average results
Power Supply	2xAAA 1,5V Alkaline Batteries
Accuracy	<100 mg/dL +/- 15 mg/dL ≥ 100 mg/dL +/- 15 %
Contents	Glucose Meter, Lancing Device (1 pc), Sterile Lancets (10 pcs), Test Strips (10 pcs) optionally, Battery, Carrying Case

TELEMEDICINE

ISTEL CARE SYSTEM





REMOTE MEDICAL CARE

Istel Care System introduces a new way to share Patients test results from any place with his Doctor or Caregiver.

Devices supporting Istel Care System:

- ECG Recorder HR-2000
- Glucose Meter Abra Smart BT
- Blood Pressure Monitor Cardic 100 BT
- Thermometer NC 300 BT
- Body Composition Analyzer WA-200 BT



HR-2000 ECG Recorder

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel ECG Application, which allows to store all Patients test results in one place
- 6-lead ECG recorder
- ECG signal detection when the leads are fixed on the chest
- Built-in electrodes
- Adjustment of measurement sensitivity and frequency
- Easy to operate – measurement taken with just one button
- For home self-monitoring
- Ergonomic shape
- Auto power-off
- Bluetooth Low Energy 4.0 Wireless technology



Our technology

Diagnosis proudly introduces a new line of products for telemedicine, ECG recorders and blood glucose monitors. The devices use wireless communication which allows for easy transmission of the measurements from the patient to the specialist to monitor the patient's health. To meet expectations of the medical professionals, Diagnosis continues improving its products and strives to expand its line of products to include new state-of-the-art technology.

Latest achievement

One of the most recent achievements of Diagnosis is development of an easy-to-operate Istel HR-2000 6-lead ECG Recorder with four built-in electrodes. With the built-in electrodes, patients can easily perform ECG self-examination. This solution allows the patient to carry the device all day long and do a quick self-examination when necessary. The results are sent for analysis to the medical center via device application.

Model	Istel HR-2000 ECG Recorder
Number of Leads	I, II, III, aVR, aVL, aVF
Wireless Communication	Bluetooth Low Energy 4.0
Operating System	Android, iOS
Frequency Range	0.05 Hz – 32 Hz 0.05 Hz – 65 Hz28 0.05 Hz – 130 Hz
Sampling	160 sample/s 320 sample/s 640 sample/s
Sampling sensitivity (resolution)	24 bit/sample
Power Source	2 x AAA 1,5 V Alkaline Batteries
Dimensions	118 x 66 x 26 mm
Weight	Approx. 75 g (w/o Batteries)
Contents	ECG Recorder, Carrying Case, Batteries, Instruction for use



ISTEL ECG




Mobile ECG Self-Management Application

Istel ECG Mobile Application collaborates with Istel Care System, which allows sending test results directly to Patients Account.

Main Application Features:

- Built-in browser used to display results recorder using six limb leads: I, II, III, aVR, aVL, aVF
- Real-time Measurement of Heart Rate (bpm)
- Heart Rate Interpretation
- Detection of Atrial Fibrillation
- Measurement time up to 3 min
- Results history
- Exporting results to PDF
- Sharing results via: e-mail, WhatsApp, Skype, etc.



ABRA SMART BT Glucose Meter

ABRA Smart BT glucose meter is the latest solution for testing blood glucose levels. The glucose meter accuracy is compliant with the latest international standards (EN ISO 15197: 2015) and provides users with access to new unique features.

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel Health Application, which allows to store all Patients test results in one place
- ABRA Smart BT automatically lets the user know if the current glucose result is within, below or above personal range limits with the help of Color Range Indicator and the Color of test strip port
- Test strip ejector guarantees hygienic measurement
- Reminds to perform a test after inserting a test strip
- Autocoding - all necessary information is read directly from the test strips
- Possibility of setting individual average results



Temperature	10°C - 40°C (50°F - 104°F)
Wireless Communication	Bluetooth Low Energy 4.1
Humidity	10-90% RH
Hematocrit	30 - 55%
Test Sample	Capillary Whole Blood from Fingertip, Palm and Forearm
Sample Volume	0.5 µl
Measuring Unit	mg/dL or mmol/L
Measuring Range	20-600 mg/dL (1.1-33.3 mmol/L)
Test Time	5 sec
Memory Capacity	1000 most recent results
Average	7/14/30/60/90 days average results
Power Supply	2xAAA 1.5V Alkaline Batteries
Accuracy	<100 mg/dL +/- 15 mg/dL ≥ 100 mg/dL +/- 15 %
Contents	Glucose Meter, Lancing Device (1 pc), Sterile Lancets (10 pcs), Test Strips (10 pcs) optionally, Battery, Carrying Case



ISTEL HEALTH




Mobile Self-Management Application

Istel Health Mobile Application allows Patients to transfer their test results to the Istel Care System.

Main Application Features:

- Istel Health Mobile Application allows to store Patients test results in one place and monitor their treatment progress
- Bluetooth function allows to transfer your test results from Glucose Meter Abra Smart BT, Thermometer NC 300 BT, Blood Pressure Monitor Cardic 100 BT, Body Composition Analyzer WA-200 BT directly to the Istel Health App
- The glucose meter Abra Smart BT settings can be set from the App, e.g. target ranges of blood glucose measurements, alarms reminding to take a measurement, date and time
- Color Range Indicator facilitates the user's interpretation of the results
- Intuitive charts help to monitor the treatment
- Clear reports allow quick analysis of the results
- Exporting results to PDF
- Sharing results via: e-mail, WhatsApp, Skype, etc.



Cardic 100-BT

Automatic Upper-arm Blood Pressure and Pulse Monitor

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel Health Application, which allows to store all Patients test results in one place
- XXL Display
- One-Button Measurement
- Takes measurement when the pulse is irregular (IHB)
- WHO Blood Pressure Classification Indicator
- Memory for 2 users with 120 measurements with date and time
- Easy to use Cuff size M/L (22-42 cm)
- Can be used with an Adaptor



Model	Istel Cardic-100BT
Display	LCD Digital Display
Measuring Principle	Oscillometric Method
Measurement Range	Pressure: 30-280 mmHg; Pulse: 40-199 pulses/min
Accuracy Pressure	±3 mmHg; pulse: ±5%
Memory Function	Memory 2 x 120 Sets of Measurements
Inflation	Automatic by Internal Pump
Deflation	Automatic by Air Valve
IHB	Irregular Heartbeat Indicator
Power Source	4 xAA 1,5 V Alkaline Batteries or Micro USB DC 5V,1 A (optionally)
Operating Conditions	Temperature: 5°C - 40°C Humidity: 15% - 85% R.H. Atmospheric Pressure: 860 hPa-1060 hPa
Transport and Storage Conditions	Temperature: -10°C - 55°C Humidity: 10% - 95% R.H. Atmospheric pressure: 600 hPa-1060 hPa
Main Unit Weight	498g (including Cuff and Batteries)
Cuff	Soft Arm Cuff (22-42 cms)
Contents	Blood Pressure Monitor, Cuff (22-42 cms), Power Supply, Batteries, Carrying Case, Instruction Manuals
Wireless Communication	Bluetooth® 5.0



NC300 BT

Non-Contact Thermometer

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel Health Application, which allows to store all Patients test results in one place
- Enables quick and precise temperature reading
- After switching on, it automatically displays the last measurement
- Fever alarm from 37.8°C
- Backlight display
- For use at home and doctor's office

Measurement Time	Approx. 2 sec.
Memory	12 Measurements
Power Source	2 Batteries AAA
Dimensions	138 x 35 x 38 mm
Place of Measurement	Forehead and Ambient
Measurement Distance	5-10 cm
Automatic Power-off	After 60 sec.
Wireless Communication	Bluetooth 4.1 Low Energy
Operating Conditions	Temperature: 10°C ~ 40°C Atmospheric Pressure: 86 ~ 106 kPa Relative Humidity: ≤ 80%
Transport and Storage Conditions	Temperature: -25°C ~ 55°C Atmospheric Pressure: 86 ~ 106 kPa Relative Humidity: ≤ 95%

WA-200 BT

Body Composition Analyzer

- Works with Istel Care System, a modern telemedicine solution, which allows a remote medical care of Patients' health
- Collaborates with Istel Health Application, which allows to store all Patients test results in one place
- Analyses Body Weight, Body Fat, Bone and Muscle Mass, Water Content and BMI
- Maximum weight capacity 180 kg
- Balance resolution 0,1 kg
- 8 users
- Auto power off



Maximum Weight Capacity	180 kg
Resolution of Weight	0,1 kg
Measuring Principle	Bioelectrical Impedance Analysis (BIA)
Measurement	Weight, Total Body Water % and Body Fat %, Bone % and Muscle Mass %, BMI and Calorie Predictor
Power Source	3 x AAA Batteries
Number of Users	8 Users
Wireless Communication	Bluetooth® 4.0
Operating Conditions	Temperature: 15 - 35°C (59 - 95°F) Humidity: 30 - 85% RH
Transport and Storage Conditions	Temperature: -20 - 50°C (-4 - 122°F) Humidity: 30 - 85% RH

HOME DIAGNOSTIC TESTS



HOME
DIAGNOSTICS

bobo-test[®]

Vitam[®]

NarkoDiag



HOME
DIAGNOSTICS

bobo-test[®]

Pregnancy Tests

Cassette Pregnancy Test

- Sensitive – detects hCG at the concentration level of 25 mIU/ml
- Comfortable – can be performed at any time
- 99% accuracy
- Efficient – detects a 6-day pregnancy
- Quick – test results in approx. 5 minutes

Midstream Pregnancy Test

- Ultra-sensitive – detects hCG at the concentration level of 10 mIU/ml
- Comfortable – can be performed at any time
- 99% accuracy
- Easy to use
- Efficient – detects a 2-3 days pregnancy
- Quick – test results in approx. 5 minutes

Bobo-Test Duo Two-Test Kit

- Two-test kit – contains midstream and cassette pregnancy tests
- 99% accuracy
- Easy to use



Cassette Pregnancy Test

- Sensitive – detects hCG at the concentration level of 25 mIU/ml
- Comfortable – can be performed at any time
- 99% accuracy
- Efficient – detects a 6-day pregnancy
- Quick – test results in approx. 3-5 minutes



LH Vitam Ovulation Test

- Sensitive – detects LH at the concentration level above 25 mIU/ml
- 98% accuracy
- Quick – test results in approx. 5 minutes




The kit consists of 5 tests



HelicobacterPylori Test Diago-HP

- Easy to use home test to detect the presence of Helicobacter pylori (H. pylori) antibodies in a finger-prick blood sample
- Test results in approx. 15 minutes
- 98% accuracy



HemoActive FOBT

- Fecal occult blood test for early warning signs of colorectal diseases
- Easy to use – no stool handling

Simple to perform:

1. After a bowel movement drop a test pad into the toilet
 2. If blood is present a blue color will appear on the test pad within 2 minutes
- 100% accuracy





MultiTwist

- A rapid screening test for simultaneous, qualitative detection of multiple drugs and their metabolites in human saliva
- Detects: Amphetamine, Cocaine, Marijuana, Methamphetamine, Opiate (Morphine and Heroin) and Phencyclidine
- 99% accuracy

Multi-Test

- A rapid, easy to use, one-step screen test for simultaneous, qualitative detection of multiple drugs and metabolites in human urine
- Detects: Amphetamine, Morphine, Heroin, Ecstasy, Marijuana, Hashish
- 98% accuracy

Marijuana

- A rapid, easy to use, one-step screen test for qualitative detection of THC metabolites in human urine
- 99% accuracy

DIETARY SUPPLEMENTS





Ingredients	1 Tablet	%NRV*	2 Tablets	%NRV*
Field Horsetail Extract	50 mg		100 mg	
Vitamin C	40 mg	50%	80 mg	100%
Nettle Extract	20 mg		40 mg	
Zinc	5 mg	50%	10 mg	100%
Pantothenic Acid	3 mg	50%	6 mg	100%
Riboflavin (Vit. B2)	0,7 mg	50%	1,4 mg	100%
Vitamin B6	0,7 mg	50%	1,4 mg	100%
Thiamine (Vit. B1)	0,55 mg	50%	1,1 mg	100%
Vitamin A	400 µg	50%	800 µg	100%
Biotin	25 µg	50%	50 µg	100%



Ingredients	1 Capsule (daily portion)	%NRV*
Fish oil:	1000 mg	
EPA - Eicosapentaenoic Acid	150 mg	
DHA - Docosahexaenoic Acid	100 mg	
Vitamin E	10 mg	83%

Field Horsetail with Biotin FORTE

PROPERTIES: A food supplement Field Horsetail FORTE is a combination of active ingredients: Horsetail Extract, Nettle Extract, Zinc, and a set of 7 Vitamins for adults as a supplement of everyday diet.

DOSAGE: 1-2 tablets daily while eating
AVAILABLE PACKAGE: 45 tablets

Omega-3 with Vitamin E FORTE

PROPERTIES: Food supplements with Omega 3 Acids are a source of unsaturated Fatty Acids EPA and DHA. Eicosapentaenoic Acid (EPA) and Docosahexaenoic Acid (DHA) contribute to proper functioning of the heart. Vitamin E helps protect cells against oxidative stress. The product is recommended as a supplement of everyday diet low in marine fish oils that contain valuable Omega-3 Fatty Acids. It is recommended to people who want to take care of their heart and cardiovascular system.

DOSAGE: 1 soft capsule daily while eating
AVAILABLE PACKAGE: 60 capsules

*%NRV - % of Nutrient Reference Values

Icelandic Cod Liver Oil

PROPERTIES: Cod Liver Oil is an abundant source of Vitamins A and D and a source of unsaturated Fatty Acids EPA and DHA that belong to the group of Omega-3 Acids. Vitamins A and D are responsible for proper functioning of the immune system. Vitamin D supports appropriate absorption of Calcium and Phosphorus, helps maintain healthy bones and teeth, and facilitates proper functioning of muscles. The product is recommended especially during autumn-winter season.

DOSAGE: 1 soft capsule daily while eating
AVAILABLE PACKAGE: 60 capsules

Ingredients	1 Capsule (daily portion)	%NRV*
Cod Liver Oil	550 mg	
Each capsule contains:		
OMEGA-3 Fatty Acids	44 mg	
EPA- Eicosapentaenoic Acid	49,5 mg	
DHA- Docosahexaenoic Acid		
Vitamin A (Retinyl Palmitate)	800 µg	100%
Vitamin D (Cholecalciferol)	5 µg	100%




Magnesium + Potassium


PROPERTIES: Magnesium and Potassium ensure proper functioning of muscles. Potassium contributes to normal blood pressure. Magnesium also contributes to reduce feeling of tiredness and fatigue. Additionally, Magnesium and Vitamin B6 contributes to maintain normal energy metabolism.

DOSAGE: 2 tablets a day while eating
AVAILABLE PACKAGE: 60 tablets

Ingredients	2 Tablets (daily portion)	%NRV*
Potassium	300 mg	15%
Magnesium	60 mg	16%
Vitamin B6	1,4 mg	100%



*%NRV - % of Nutrient Reference Values



Ingredients	1 Tablet (daily portion)	%NRV*
Folic Acid	400 µg	200%

Folic Acid

PROPERTIES: Folic Acid is a vitamin that actively participates in cell division process, supports growth of mother tissues during pregnancy and has a favourable effect on normal blood production. It is also recommended to pregnant women or those who are planning pregnancy and to nursing mothers.

DOSAGE: 1 tablet daily while eating
AVAILABLE PACKAGE: 60 tablets



Ingredients	1 Tablet (daily portion)	% NRV*
Vitamin C	200 mg	250%

Vitamin C 200 mg

PROPERTIES: Vitamin C 200 mg aids proper functioning of the immune system, promotes proper collagen production in order to ensure appropriate function of cartilage and proper functioning of blood vessels, gums, and skin. It increases absorption of iron.

DOSAGE: 1 tablet a day while eating
AVAILABLE PACKAGE: 50 tablets

*%NRV - % of Nutrient Reference Values

Magnesium with Vitamin B₆

PROPERTIES: Magnesium and Vitamin B₆ contribute to reducing feelings of tiredness and fatigue, exert a favourable effect on proper functioning of the nervous system and help maintain normal psychological functions. Magnesium also aids normal protein synthesis and maintenance of healthy bones and teeth, and facilitates proper functioning of muscles. Vitamin B₆ has a good effect on the immune system.

DOSAGE: 1 tablet a day while eating

AVAILABLE PACKAGE: 50 tablets

Vitamin D₃ FORTE 2000 I.U.*

PROPERTIES: Vitamin D has many important functions in the body. Not only does it support the maintenance of healthy bones and teeth, but also supports the proper functioning of muscles and the immune system. Additionally it contributes to the good absorption and utilization of Calcium and Phosphate from the gastrointestinal tract and to maintain proper levels of Calcium in the blood. The body obtains Vitamin D from two sources: from the diet and from exposing skin to sunlight. The product is recommended as a supplementation of a daily diet with Vitamin D, and in the autumn and winter time when solar radiation is too weak to ensure sufficient production of Vitamin D.

DOSAGE: 1 soft capsule daily while eating

AVAILABLE PACKAGE: 60 soft capsules

Ingredients	1 Tablet (daily portion)	%NRV*
Magnesium	125 mg	33,3%
Vitamin B ₆	1,4 mg	100%



Ingredients	1 Capsule (daily portion)	%NRV*
Vitamin D	5 µg (2000 I.U.)**	1000%

*%NRV - % of Nutrient Reference Values

** International Units

Dietary Supplements

DeKavit
D₃+K₂



Ingredients	1 Capsule (daily portion)	%NRV*
Vitamin D	50 µg (2000 I.U.)**	1000%
Vitamin K2	75 µg	100%

PROPERTIES: Vitamins D and K help maintain healthy bones. Vitamin D facilitates normal absorption and utilization of Calcium and Phosphorus. It helps support normal levels of Calcium in the blood and participates in cell division process. It also contributes to normal muscle and immunity system function. Vitamin K helps maintain healthy bones. It facilitates bone mineralization and is essential in maintaining normal bone condition and structure. The human body is not able to synthesize Vitamin K2 on its own and therefore it must be supplied with food.

DOSAGE: 1 capsule daily while eating
AVAILABLE PACKAGE: 30 hard capsules



*%NRV - % of Nutrient Reference Values
** International Units

BEAUTY H A I R

PROPERTIES: Horsetail, Zinc, Selenium and Biotin have a positive effect on the good condition of the hair. Selenium and Zinc help maintain healthy nails.

Healthy

• HAIR • NAILS

DOSAGE: 1 tablet daily while eating
AVAILABLE PACKAGE: 60 tablets

BEAUTY C O L L A G E N

PROPERTIES: Zinc helps to maintain healthy skin, hair and nails. Vitamin C helps in proper collagen production for the proper functioning of skin and blood vessels. Moreover, Vitamin C, E, as well as Zinc help protect cells against oxidative stress.

Healthy

• SKIN • HAIR • NAILS

DOSAGE: 1-2 tablets daily while eating
AVAILABLE PACKAGE: 45 tablets

Ingredients	1 Tablet (daily portion)	%NRV*
Horsetail Extract	150 mg	
Viola Tricolor Extract	150 mg	
Vitamin C	40 mg	50%
Hyaluronic Acid	10 mg	
Niacin (Vitamin B3)	8 mg	50%
Rutin	8 mg	
Iron	7 mg	50%
Vitamin E	6 µg	50%
Zinc	5 µg	50%
Pantothenic Acid	3 µg	50%
B-carotene	2 mg	
Riboflavin (Vitamin B2)	0,7 mg	50%
Vitamin B6	0,55 mg	50%
Thiamine (Vitamin B1)	0,55 mg	50%
Vitamin A	733 µg	91,6%
Biotin	500 µg	1000%
Folic Acid	100 µg	50%
Selenium	27,5 µg	50%
Vitamin B12	1,25 µg	50%
Vitamin D	1,25 µg	25%



Ingredients	1 Tablet	%NRV*	2 Tablets	%NRV*
Deep sea fish Collagen	600 mg		1200 mg	
Acerola Fruit Extract	100 mg		200 mg	
Including Vitamin C	25 mg	31,25%	50 mg	62,5%
Zinc	5 mg	50%	10 mg	100%
Vitamin E	12 mg	100%	24 mg	200%



*%NRV - % of Nutrient Reference Values



Ingredients	1 Tablet	%NRV*
Magnesium	300 mg	80%
Vitamin B6	4,2 mg	300%

Magnesium + B₆

- Thanks to the Magnesium content, it contributes to the reduction of tiredness and fatigue
- It helps in maintaining proper psychological functions
- Orange Flavor

DOSAGE: 1 tablet daily
AVAILABLE PACKAGE: 20 effervescent tablets



Ingredients	1 Tablet	%NRV*
Potassium	300 mg	15%
Magnesium	125 mg	33,3%
Vitamin B6	1,4 mg	100%

Magnesium + Potassium

- Recommended in the case of increased physical activity
- Magnesium and Potassium help in the proper functioning of muscles
- Grapefruit Flavor

DOSAGE: 1 tablet daily
AVAILABLE PACKAGE: 20 effervescent tablets

*%NRV - % of Nutrient Reference Values

Vitamin C 1000 FORTE

- 1000 mg of Vitamin C in 1 tablet
- It dissolves well, does not leave a residue
- Lemon or Orange Flavor

DOSAGE: 1 tablet daily

AVAILABLE PACKAGE: 20 effervescent tablets

Ingredients	1 Tablet	%NRV*
Vitamin C	1000 mg	1250%



Multivitamin + Minerals

- 10 vitamins and 7 minerals
- It dissolves well, does not leave a residue
- Orange Flavor

DOSAGE: 1 tablet daily

AVAILABLE PACKAGE: 20 effervescent tablets

Ingredients	1 Tablet	%NRV*
Vitamins		
Vitamin C	80 mg	100%
Niacin	16 mg	100%
Vitamin E	12 mg	100%
Pantothenic acid	6 mg	100%
Riboflavin	1,4 mg	100%
Vitamin B6	1,4 mg	100%
Thiamine	1,1 mg	100%
Folic Acid	200 µg	100%
Biotin	50 µg	100%
Vitamin B12	2,5 µg	100%
Mineral Constituents		
Magnesium	93,75 mg	25%
Iron	14 mg	100%
Zinc	7,5 mg	75%
Copper	0,5 mg	50%
Manganese	0,5 mg	25%
Iodine	75 µg	50%
Selenium	10 µg	18%



*%NRV - % of Nutrient Reference Values



Ingredients	3 Tablets	%NRV*
Glucose	1200 mg	
Sodium	792 mg	
Potassium	300 mg	15%
Vitamin C	180 mg	225%

Electrolytes

- Recommended for use during the period of increased thirst feeling
- Recommended during intense physical exercise and during hot weather
- Orange Flavor

DOSAGE: 1 tablet 3 times a day

AVAILABLE PACKAGE: 20 effervescent tablets



Ingredients	1 Tablet	%NRV*
Calcium	300 mg	37,5%
Vitamin C	80 mg	100%

Calcium with Vit. C FORTE

- It contains Calcium, which helps maintain healthy bones and teeth
- It dissolves well, does not leave a residue
- Orange Flavor

DOSAGE: 1 tablet daily

AVAILABLE PACKAGE: 20 effervescent tablets

*%NRV - % of Nutrient Reference Values

AllergiCal

- Recommended during the period of increased pollination of plants
- Contains Quercetin, which is a compound from the flavonoid group
- Zinc helps in the proper functioning of the immune system
- Orange Flavor

DOSAGE: 2 tablets daily

AVAILABLE PACKAGE: 20 effervescent tablets

Ingredients	2 Tablets	%NRV*
Calcium	600 mg	75%
Quercetin	120 mg	
Zinc	10 mg	100%



Glucosamine MAX

- Boosts Joint Mobility
- Supports Healthy Joints
- Promotes Joint Comfort
- Orange Flavour

DOSAGE: 2 tablets daily

AVAILABLE PACKAGE: 20 effervescent tablets

Ingredients	1 Tablet	%NRV*
Glucosamine Sulfate KCl	1500 mg	
MSM	300 mg	
Chondroitin Sulfate	200 mg	
Boswellia Serrata Extract	130 µg	
Vitamin K2	20 mg	
Hyaluronic Acid	12,5 mg	
Vitamin D3	12,5 mcg	250%
Collagen	20 mg	
Ginger Root Extract	20 mg	



*%NRV - % of Nutrient Reference Values



Ingredients	1 Tablet	%NRV*
Vitamin C	1000 mg	1250%
Vitamin D3	50 mcg (2000 I.U.**)	1000%
Zinc	15 mg	1250%

Vit. D₃ + Vit. C + Zinc

- Supports Immune System
- Orange Flavor

DOSAGE: 1 tablet daily

AVAILABLE PACKAGE: 20 effervescent tablets



*%NRV - % of Nutrient Reference Values

** International Units

www.diagnosis.pl

